



# MATERIAL SAFETY DATA SHEET

Product Identifier:

## Traction Tube

### SECTION 1 - PRODUCT IDENTIFICATION AND USE

Product identification: <b>Traction Tube</b>			
PIN/ UN No: <b>N/AV</b>		MSDS Number:	Molecular Weight: <b>N/AV</b>
Chemical Name: <b>Mineralogical</b>			
Chemical Family: <b>Natural aggregate</b>		Chemical Formula: <b>N/AV</b>	
Pest Control Product (PCP #): <b>N/AV</b>	Stock Number: <b>N/AV</b>		Product Group: <b>Sakrete</b>
Product Use: <b>Dry sand</b>	NFPA Hazard Ratings: <b>Fire: N/AV Toxicity: N/AV Special:</b>		
WHMIS Classification: <b>D2 E</b>		Means of Classification: <b>CLASS. BY MANUFACTURER</b>	
Manufacturers Name: <b>Basalite Concrete Products Vancouver, ULC.</b>		Suppliers Name: <b>Basalite Concrete Products Vancouver, ULC.</b>	
Street Address: <b>1280 W.77th Avenue</b>		Street Address: <b>1280 W.77th Avenue</b>	
City: <b>Vancouver</b>	Province: <b>BC</b>	City: <b>Vancouver</b>	Province: <b>BC</b>
Postal Code: <b>V6P 3G8</b>	Emergency Telephone No. <b>604-269 – 2120</b>	Postal Code: <b>V6P 3G8</b>	Emergency Telephone No. <b>604-269 – 2120</b>
Comment: <b>Ask for Rocky Pantiluk or the Director Loss Control</b>			

### SECTION 2 - HAZARDOUS INGREDIENTS

Hazardous Ingredients	% Ratio	CAS Number: PIN Number:	Test: Related Information:	Value:
<b>None</b>	<b>N/AP</b>	<b>N/AP</b>	<b>N/AP</b>	<b>N/AP</b>

### SECTION 3 - PHYSICAL DATA

Odour & Appearance: <b>Light buff particles with mild, earthy odour.</b>			
Physical State: <b>SOLID</b>		Odour Threshold: <b>N/AP</b>	
Freezing Point (°C): <b>N/AP</b>		Boiling Point (°C): <b>N/AP</b>	
Vapour pressure (mm Hg): <b>N/AP</b>	Vapour Density (Air=1) <b>N/AP</b>	Percent Volatile: <b>N/AP</b>	Evaporation Rate: <b>N/AP</b>
pH: <b>N/AV</b>	Specific Gravity: <b>2.66</b>	Coeff. Water/ Oil Distribution: <b>N/AP</b>	Percent Soluble (@ 20°C): <b>&lt;1%</b>

### SECTION 4 - FIRE AND EXPLOSION DATA



# MATERIAL SAFETY DATA SHEET

Product Identifier:

## Traction Tube

Flammability: <b>N/AP</b>	If yes, under which conditions? <b>N/AP</b>	
Extinguishing Media: <b>N/AP</b>		
Special Fire Fighting Procedures: <b>N/AP</b>		
Unusual Fire and Explosion Hazards: <b>N/AP</b>	Auto-Ignition temperature (°C) <b>N/AP</b>	
Flashpoint (°C) and method: <b>N/AP</b> <b>N/AP</b>	Upper flammability limit (% by volume) : <b>N/AP</b>	Lower flammability limit (% by volume) : <b>N/AP</b>
Hazardous Combustion Products: <b>N/AP</b>		
Explosion data: Sensitivity to impact: <b>N/AP</b>	Sensitivity to static discharge: <b>N/AP</b>	

### SECTION 5 - REACTIVITY DATA

Chemical stability: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Comment: <b>Keep dry until used.</b>	
Incompatibility with other substances: <b>N/AP</b>	If so, which ones? <b>N/AP</b>	
Reactivity, and under what conditions: <b>None.</b>		
Hazardous polymerization: <b>N/AP</b>		
Hazardous decomposition products: <b>N/AP</b>		

### SECTION 6 - TOXICOLOGICAL PROPERTIES

Route of Entry: Skin Contact <input type="checkbox"/>	Skin Absorption: <input type="checkbox"/>	Eye Contact: <input checked="" type="checkbox"/>	Inhalation: <input checked="" type="checkbox"/>	Ingestion: <input type="checkbox"/>
Effects of acute exposure to product: <b>INHALATION: Irritating to upper respiratory system. Dust can inflame nasal tissue.</b> <b>EYE CONTACT: Can irritate eyes. Dust may cause inflammation to cornea.</b>				
Effects of chronic exposure to product: <b>None.</b>				
Exposure Limits: TWA: <b>10mg/M3</b> STEL: <b>N/AV</b> C: <b>N/AV</b> OSHA PEL: <b>N/AV</b> ACGIH TLV: <b>N/AV</b>				
Carcinogen by NTP: <b>N/AV</b>	Carcinogen by IARC <b>N/AV</b>	OSHA Controlled: <b>N/AV</b>		
Irritancy:				



# MATERIAL SAFETY DATA SHEET

Product Identifier:

## Traction Tube

**EYES:** Can irritate eyes.

**BREATHED IN:** Can irritate nose & throat.

Sensitization: **None.**

Carcinogenicity: **N/AP**

Teratogenicity: **N/AV**

Reproductive Toxicity: **N/AV**

Mutagenicity: **N/AV**

Synergistic Products: **N/AV**

Medical Conditions Aggravated by Exposure: **Fine dust may aggravate asthma and other breathing conditions.**

### SECTION 7 - PREVENTATIVE MEASURES

Personal Protective Equipment: **None required.**

Personal Protective Equipment: **N/AP**

Engineering controls: **VENTILATION: Local exhaust to control airborne dust levels below 10mg/M3 TWA (cement dust).**

Leak & Spill Procedures: **AVOID BREATHING DUST.**

Waste Disposal: **Dispose of as common waste in accordance with applicable Federal, Provincial, and local environmental regulations.**

Handling Procedures and Equipment: **Avoid breathing dust.**

Storage Requirements: **N/AP**

Special Shipping Information: **Keep dry.**

### SECTION 8 - FIRST AID MEASURES

Specific Measures:

**INHALATION:** Move person to fresh air. If person has difficulty breathing, seek medical advice.

**EYE CONTACT:** Irrigate with water for at least 15 minutes, until no trace of product remains. If irritation develops or persists, consult physician.

**INGESTION:** Drink large amounts of water. Do not induce vomiting, seek immediate medical attention.

### SECTION 9 - PREPARATION DATE OF MSDS



# MATERIAL SAFETY DATA SHEET

Product Identifier:

## Traction Tube

Prepared By: (Group, Department, Etc.) Rocky D. Pantiluk, A.Sc. T. Basalite Concrete Products Vancouver, ULC. 1280 W.77th Avenue Vancouver, BC V6P 3G8	Phone Number: 604 - 269 - 2120	Date: 09 / 03 / 05 (yy/ mm/ dd)
Workplace MSDS Transcribed by: Laura Voci Basalite Concrete Products Vancouver, ULC. 1280 W.77th Avenue Vancouver, BC V6P 3G8	Phone Number: 604 - 269 - 2120	Date: 09 / 03 / 05 (yy/ mm/ dd)

The information in the MSDS is believed to be accurate at the time of preparation, but no guarantees are given.