



MATERIAL SAFETY DATA SHEET

Product Identifier:

Traction Tube

SECTION 1 - PRODUCT IDENTIFICATION AND USE

Product identification: Traction Tube			
PIN/ UN No: N/AV		MSDS Number:	Molecular Weight: N/AV
Chemical Name: Mineralogical			
Chemical Family: Natural aggregate		Chemical Formula: N/AV	
Pest Control Product (PCP #): N/AV	Stock Number: N/AV		Product Group: Sakrete
Product Use: Dry sand	NFPA Hazard Ratings: Fire: N/AV Toxicity: N/AV Special:		
WHMIS Classification: D2 E		Means of Classification: CLASS. BY MANUFACTURER	
Manufacturers Name: Basalite Concrete Products Vancouver, ULC.		Suppliers Name: Basalite Concrete Products Vancouver, ULC.	
Street Address: 1280 W.77th Avenue		Street Address: 1280 W.77th Avenue	
City: Vancouver	Province: BC	City: Vancouver	Province: BC
Postal Code: V6P 3G8	Emergency Telephone No. 604-269 – 2120	Postal Code: V6P 3G8	Emergency Telephone No. 604-269 – 2120
Comment: Ask for Rocky Pantiluk or the Director Loss Control			

SECTION 2 - HAZARDOUS INGREDIENTS

Hazardous Ingredients	% Ratio	CAS Number: PIN Number:	Test: Related Information:	Value:
None	N/AP	N/AP	N/AP	N/AP

SECTION 3 - PHYSICAL DATA

Odour & Appearance: Light buff particles with mild, earthy odour.			
Physical State: SOLID		Odour Threshold: N/AP	
Freezing Point (°C): N/AP		Boiling Point (°C): N/AP	
Vapour pressure (mm Hg): N/AP	Vapour Density (Air=1) N/AP	Percent Volatile: N/AP	Evaporation Rate: N/AP
pH: N/AV	Specific Gravity: 2.66	Coeff. Water/ Oil Distribution: N/AP	Percent Soluble (@ 20°C): <1%

SECTION 4 - FIRE AND EXPLOSION DATA



MATERIAL SAFETY DATA SHEET

Product Identifier:

Traction Tube

Flammability: N/AP	If yes, under which conditions? N/AP	
Extinguishing Media: N/AP		
Special Fire Fighting Procedures: N/AP		
Unusual Fire and Explosion Hazards: N/AP		Auto-Ignition temperature (°C) N/AP
Flashpoint (°C) and method: N/AP N/AP	Upper flammability limit (% by volume) : N/AP	Lower flammability limit (% by volume) : N/AP
Hazardous Combustion Products: N/AP		
Explosion data: Sensitivity to impact: N/AP		Sensitivity to static discharge: N/AP

SECTION 5 - REACTIVITY DATA

Chemical stability: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	Comment: Keep dry until used.	
Incompatibility with other substances: N/AP	If so, which ones? N/AP	
Reactivity, and under what conditions: None.		
Hazardous polymerization: N/AP		
Hazardous decomposition products: N/AP		

SECTION 6 - TOXICOLOGICAL PROPERTIES

Route of Entry: Skin Contact <input type="checkbox"/>	Skin Absorption: <input type="checkbox"/>	Eye Contact: <input checked="" type="checkbox"/>	Inhalation: <input checked="" type="checkbox"/>	Ingestion: <input type="checkbox"/>
Effects of acute exposure to product: INHALATION: Irritating to upper respiratory system. Dust can inflame nasal tissue. EYE CONTACT: Can irritate eyes. Dust may cause inflammation to cornea.				
Effects of chronic exposure to product: None.				
Exposure Limits: TWA: 10mg/M3 STEL: N/AV C: N/AV OSHA PEL: N/AV ACGIH TLV: N/AV				
Carcinogen by NTP: N/AV		Carcinogen by IARC N/AV		OSHA Controlled: N/AV
Irritancy:				



MATERIAL SAFETY DATA SHEET

Product Identifier:

Traction Tube

EYES: Can irritate eyes.

BREATHED IN: Can irritate nose & throat.

Sensitization: **None.**

Carcinogenicity: **N/AP**

Teratogenicity: **N/AV**

Reproductive Toxicity: **N/AV**

Mutagenicity: **N/AV**

Synergistic Products: **N/AV**

Medical Conditions Aggravated by Exposure: **Fine dust may aggravate asthma and other breathing conditions.**

SECTION 7 - PREVENTATIVE MEASURES

Personal Protective Equipment: **None required.**

Personal Protective Equipment: **N/AP**

Engineering controls: **VENTILATION: Local exhaust to control airborne dust levels below 10mg/M3 TWA (cement dust).**

Leak & Spill Procedures: **AVOID BREATHING DUST.**

Waste Disposal: **Dispose of as common waste in accordance with applicable Federal, Provincial, and local environmental regulations.**

Handling Procedures and Equipment: **Avoid breathing dust.**

Storage Requirements: **N/AP**

Special Shipping Information: **Keep dry.**

SECTION 8 - FIRST AID MEASURES

Specific Measures:

INHALATION: Move person to fresh air. If person has difficulty breathing, seek medical advice.

EYE CONTACT: Irrigate with water for at least 15 minutes, until no trace of product remains. If irritation develops or persists, consult physician.

INGESTION: Drink large amounts of water. Do not induce vomiting, seek immediate medical attention.

SECTION 9 - PREPARATION DATE OF MSDS



MATERIAL SAFETY DATA SHEET

Product Identifier:

Traction Tube

Prepared By: (Group, Department, Etc.) Rocky D. Pantiluk, A.Sc. T. Basalite Concrete Products Vancouver, ULC. 1280 W.77th Avenue Vancouver, BC V6P 3G8	Phone Number: 604 - 269 - 2120	Date: 06 / 05 / 24 (yy/ mm/ dd)
Workplace MSDS Transcribed by: Laura Voci Basalite Concrete Products Vancouver, ULC. 1280 W.77th Avenue Vancouver, BC V6P 3G8	Phone Number: 604 - 269 - 2120	Date: 06 / 05 / 24 (yy/ mm/ dd)

The information in the MSDS is believed to be accurate at the time of preparation, but no guarantees are given.