



MATERIAL SAFETY DATA SHEET

Federal White Cement

SECTION 1 PRODUCT IDENTIFICATION AND USE

Product identification: Federal White Cement			
PIN/ UN No: N/AV	MSDS Number: 3009	Molecular Weight: N/AV	
Chemical Name: Federal White Cement			
Chemical Family: N/AV		Chemical Formula: N/AV	
Pest Control Product (PCP #): N/AV	Stock Number: N/AV	Product Group: Cement	
Product Use: Masonry/Stucco		Synonyms:	
WHMIS Classification: D2 E		Means of Classification: CLASS. BY MANUFACTURER	
Manufacturers Name: Federal White Cement		Suppliers Name: Basalite Concrete Products, Vancouver, ULC.	
Street Address: P.O. Box 548		Street Address: 1280 West 77th Avenue	
City: Woodstock	Province: Ontario	City: Vancouver	Province: BC
Postal Code: N4S 7Y5	Emergency Telephone No. 519 – 485 – 5410	Postal Code: V6P 3G8	Emergency Telephone No. 604 – 269 – 2120

SECTION 2 HAZARDOUS INGREDIENTS

Hazardous Ingredients	% Ratio	CAS Number: PIN Number:	Test: Related Information:	Value:
Portland Cement	60 – 100 w/w	65997-15-1	10 mg total dust/m³ 5 mg respirable dust/m³	5 mg total dust/m³
Calcium Sulfate	5 – 10 w/w	77778-18-9	10 mg total dust/m³ 5 mg respirable dust/m³	5 mg total dust/m³
Iron Oxide	10 – 30 w/w	1309-37-1	10 mg total dust/m³ 5 mg respirable dust/m³	5 mg total dust/m³
Calcium Carbonate	1 – 5 w/w	1317-65-3	10 mg total dust/m³ 5 mg respirable dust/m³	5 mg total dust/m³
Magnesium Oxide	1 – 5 w/w	1309-48-4	10 mg total dust/m³ 5 mg respirable dust/m³	5 mg total dust/m³
Calcium Oxide	1 – 5 w/w	1306-78-8	10 mg total dust/m³ 5 mg respirable dust/m³	5 mg total dust/m³
Crystalline Silica	.1 – 1 w/w	14808-60-7	(10 mg respirable dust/m³) (percent silica +2) NIOSH REL (8-hour TWA)=0.05 mg respirable quartz dust/m³	0.10 mg respirable quartz/m³



MATERIAL SAFETY DATA SHEET

Federal White Cement

SECTION 3 PHYSICAL DATA

Odour & Appearance: White powder.			
Physical State: SOLID (powder)		Odour Threshold: No distinct odour,	
Freezing Point (°C): N/AP		Boiling Point (°C): N/AP	
Vapour pressure (mm Hg): N/AP	Vapour Density (Air=1): N/AP	Percent Volatile: N/AP	Evaporation Rate: N/AP
pH: Cement 12-13	Specific Gravity: Cement 3.15	Coeff. Water/ Oil Distribution: N/AP	Percent Soluble: Slight

SECTION 4 FIRE AND EXPLOSION DATA

Flammability: N/AP	If yes, under which conditions? N/AP	
Extinguishing Media: N/AP		
Special Fire Fighting Procedures: N/AP		
Unusual Fire and Explosion Hazards: N/AP		Auto-Ignition temperature (°C): N/AP
Flashpoint (°C) and method: N/AP	Upper flammability limit (% by volume): N/AP	Lower flammability limit (% by volume): N/AP
Hazardous Combustion Products: N/AP		
<i>Explosion data:</i> Sensitivity to impact: N/AP		Sensitivity to static discharge: N/AP

SECTION 5 REACTIVITY DATA

Chemical stability: YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>	If no, under which conditions? N/AP
Incompatibility with other substances: N/AP	If so, which ones? N/AP
Reactivity, and under what conditions: Yes. When mixed with water it produces a caustic solution (pH 12 to 13)	
Hazardous polymerization: N/AP	
Hazardous decomposition products: N/AP	



MATERIAL SAFETY DATA SHEET

Federal White Cement

SECTION 6 TOXICOLOGICAL PROPERTIES

Route of Entry: Skin Contact <input checked="" type="checkbox"/>	Skin Absorption: <input type="checkbox"/>	Eye Contact: <input checked="" type="checkbox"/>	Inhalation: <input checked="" type="checkbox"/>	Ingestion: <input checked="" type="checkbox"/>
<p>Effects of acute exposure to product:</p> <p>EYES: Can irritate eyes. (Caustic burns)</p> <p>SKIN: Can dry skin. Wet concrete mixes may cause caustic burns.</p> <p>INHALATION: Irritating to nose & throat. Cement dust can cause inflammation.</p>				
<p>Effects of chronic exposure to product:</p> <p>Cement dust can cause inflammation of the cornea of the eye and the tissue lining the inside of the nose.</p>				
<p>Exposure Limits:</p> <p>TWA: 10 mg/ M³ Port. Cement</p> <p>Other: The TWA is for Cement Dust in the air.</p> <p>STEL: N/AV</p> <p>C: N/AV</p> <p>OSHA PEL: N/AV</p> <p>ACGIH TLV: N/AV</p>				
Carcinogen by NTP: N/AV		Carcinogen by IARC: N/AV		OSHA Controlled: N/AV
<p>Irritancy:</p> <p>EYES: Can irritate the eyes.</p> <p>SKIN: Can dry the skin and cause rashes.</p> <p>INHALATION: Can irritate the nose & throat.</p>				
Sensitization: Some people might develop a skin rash (Allergic Dermatitis).				
Carcinogenicity: N/AV				
Teratogenicity: N/AV			Reproductive Toxicity: N/AV	
Mutagenicity: N/AV			Synergistic Products: N/AV	
Medical Conditions Aggravated by Exposure: May aggravate open sores or dermatitis. Fine dust may aggravate asthma and other breathing conditions.				



MATERIAL SAFETY DATA SHEET

Federal White Cement

SECTION 7 PREVENTATIVE MEASURES

Personal Protective Equipment:

Gloves (specify): Rubber or PVC when the mix is wet.	Respirator (specify) NIOSH/MSHA approved Dust Mask, when the mix is dry.	Eye (specify) Tight-fitting goggles
Footwear (specify): Boots, that will not soak up the wet mix and will keep out wet or dry mix.	Clothing (specify) That will keep the powder or the wet mix off skin & clothes.	Other (specify) Barrier creams should be applied PRIOR TO contact with the product. Wash with soap and water after working with cement-containing products.

Engineering controls: **VENTILATION: Local exhaust to control airborne dust levels below 10 mg/M³ TWA (cement dust)**

Leak & Spill Procedures: **AVOID BREATHING DUST. Use dry cleanup methods that do not send dust into the air.**

Waste Disposal: **Dispose of as common waste in accordance with applicable Federal, Provincial and local environmental regulations.**

Handling Procedures and Equipment: **No special handling equipment needed other than personal protective equipment.**

Storage Requirements: **Keep dry until mixed.**

Special Shipping Information: **Keep dry.**

SECTION 8 FIRST AID MEASURES

Specific Measures:

EYES: Flush with water for at least 15 minutes. Consult physician immediately.

SKIN: Wash with soap and water. If skin is burned, see doctor.

INHALATION: Move person to fresh air. Seek medical advice.

INGESTION: Drink copious amounts of water. Do not induce vomiting. Seek immediate medical attention.



MATERIAL SAFETY DATA SHEET

Federal White Cement

SECTION 9 PREPARATION DATE OF MSDS

Prepared By: (Group, Department, Etc.) Rocky D. Pantiluk, A.Sc.T. Basalite Concrete Products, Vancouver, ULC. 1280 W.77th Avenue Vancouver, BC V6P 3G8	Phone Number: 604 – 269 - 2120	Date: 06 / 05 / 24 (yr / mm / dd)
Workplace MSDS Transcribed by: Laura Voci Basalite Concrete Products, Vancouver, ULC. 1280 W.77th Avenue Vancouver, BC V6P 3G8	Phone Number: 604 – 269 – 2120	Date: 06 / 05 / 24 (yr / mm / dd)

The information in the MSDS is believed to be accurate at the time of preparation, but no guarantees are given.